

HT[®] HENGTONG

专业球阀零部件生产商
Your Specialized Manufacturing Supplier
of Ball Valve Components

浙江恒通阀门有限公司，始创于2008年，是国内一家集球阀球体产品研究开发、制造和销售的知名专业性企业。公司现有厂房面积9000平方米，员工120余人，高级技术人员20余人，生产检测设备一应俱全，拥有国内外先进的各类机械加工设备120余台，构筑了强有力的品质保证，实现了一条龙自主生产，精细化质量控制。

Zhejiang Hengtong Valve Co., Ltd. founded in 2008, is a domestic famous professional enterprise integrating the research and development, manufacturing and sales of ball valve products. The company's existing factory area is 9,000 m², with more than 120 employees and more than 20 senior technical personnel. We have more than 120 sets of machining equipment, which provide strong quality assurance and realize one-stop independent production and fine quality control of the production process.



公司产品包括浮动球体、固定球体、三通球体、带柄球体，软密封球体、硬密封球体，软密封阀座，硬密封阀座、阀体、阀盖、阀杆等系列产品。公司产品型号规格齐全，可向客户提供API、ANSI、DIN、GB等标准的阀门配件，球体直径0.5"~60"，阀体阀盖直径0.5"~48"，压力等级150lb~2500lb。球体材料主要有A105、LF2、LF6、42CrMo、F6a、F304L、F316L、F51、F53、F55、Inconel 625、Inconel 718、Incoloy 825等，本公司还可以根据客户要求定做加工。表面涂层包括化学镀镍(ENP)、硬铬(Chrome Plating)、碳化钨(Tungsten Carbide)、司太立硬质合金(Stellite)、因科镍尔(Inconel)等多种高硬度、超耐磨、耐腐蚀材料。

The company's products include floating ball, turnion ball, three-way ball, stem ball, soft seal ball, hard seal ball, soft seal seat, hard seal seat, body, closure, stem and other products. The company has a complete range of product models and specifications, can provide customers with API, ANSI, DIN, GB and other standard valve parts. Ball diameter 0.5" ~ 60", body and closure diameter 0.5" ~ 48", pressure class 150lb ~ 2500lb. Ball materials are mainly A105, LF2, LF6, 42CrMo, F6a, F304L, F316L, F51, F53, F55, Inconel 625, Inconel 718, Incoloy 825, and so on, the company can also provide customized processing according to customer requirements. Surface coatings include electroless nickel plating (ENP), chrome plating, tungsten carbide, Stellite, Inconel and other high hardness, ultra durable and corrosion resistant materials.

固定球 Trunnion ball




Size: DN 15 ~ 1500 NPS 1/2 ~ 60
Class: PN 16 ~ 420 ANSI 150 ~ 2500

浮动球 Floating ball



Size: DN 15 ~ 300 NPS 1/2 ~ 12
Class: PN 16 ~ 420 ANSI 150 ~ 2500

三通球 3-way ball



Size: DN 25 ~ 600 NPS 1 ~ 24
Class: PN 16 ~ 420 ANSI 150 ~ 2500

带杆球 Stem ball



Size: DN 25 ~ 400 NPS 1 ~ 16
Class: PN 16 ~ 420 ANSI 150 ~ 2500

阀座 Seat



Size: DN 15 ~ 1500 NPS 1/2 ~ 60
Class: PN 16 ~ 420 ANSI 150 ~ 2500

阀体 Body



Size: DN 15 ~ 1200 NPS 1/2 ~ 48
Class: PN 16 ~ 420 ANSI 150 ~ 2500

阀盖 Closure



Size: DN 15 ~ 1200 NPS 1/2 ~ 48
Class: PN 16 ~ 420 ANSI 150 ~ 2500

阀杆 Stem



Size: DN 15 ~ 1500 NPS 1/2 ~ 60
Class: PN 16 ~ 420 ANSI 150 ~ 2500

企业资质 Certifications

为了扩大生产能力，满足日益增长的市场需求，恒通阀门引进了56"车、磨一体机，满足了国内外大口径管线球阀的市场需求；为了不断提高大口径管线球阀的品质，公司还引进了球体端轴外圆磨床，可使28"及以上球体端轴同轴度达到0.02mm及粗糙度达到Ra0.4微米。这将极大的降低阀门的工作扭矩，大幅提高阀门的品质。作为阀门行业重点的配件生产基地，今天，恒通公司已跻身阀门配件生产制造行业的前列。

In order to expand the production capacity and meet the growing market demand, Hengtong Valve has introduced a 56" lathe and grinding integrated machine to meet the market demand for large-diameter pipeline ball valves at both domestic and foreign markets. In order to continuously improve the quality of large-diameter pipeline ball valves, the company has also introduced a ball external cylindrical grinder that can achieve a coaxiality of 0.02mm and a roughness of Ra0.4 for ball of 28" and above. This will greatly reduce the working torque of the valve and greatly improve the quality of the valve. As a key component production base of the valve industry, the company has become one of the leading manufacturers of valve components today.



ISO9001:2015
质量管理体系认证



ISO14001:2015
环境管理体系认证



2014/68/EU (PED)
欧盟承压设备指令认证



OHSAS18001:2007
职业健康安全管理体系认证



AAA Grade Credit Rating Certificate
AAA级信用等级证书



 **浙江恒通阀门有限公司**
Zhejiang Hengtong Valve Co., Ltd.

地址: 浙江省温州市永嘉县三江街道虹三线
Add: Hongsan Line, Sanjiang District, Yongjia,
Wenzhou, Zhejiang, China
www.hengtong-valve.com

国内业务部 Domestic Marketing

邮箱 E-mail: lsf@hengtong-valve.com
电话 Tel: +86-577-67983666
传真 Fax: +86-577-67989988
手机 Mob: +86-13605873002

国际业务部 International Marketing

邮箱 E-mail: tiffanyren@hengtong-valve.com
电话 Tel: +86-577-67987966
传真 Fax: +86-577-67989988
手机 Mob: +86-15250139652